










Commercial Series TriTech AM Motion Detectors with Anti-mask


ISC-CDL1-WA15G ISC-CDL1-WA12G
ISC-CDL1-WA15GE ISC-CDL1-WA15HE
ISC-CDL1-WA15G-CHI



en Quick Installation Guide




C2DT Low EN Grade 2 not investigated by UL










Switch 3 was not investigated by UL

Bosch Security Systems B.V.
Torenallee 49
5617 BA Eindhoven
The Netherlands
www.boschsecurity.com
© Bosch Security Systems B.V., 2019


Part I of II



2,3 m - 2,75 m
(7,5 ft - 9 ft)
Recommended: 2,3m (7,5 ft)




Part II of II





10.570 to 10.610 GHz
 <20 mW
 ISC-CDL1-WA15HE

AF	DK	HO	BK	BO
BK	EK	KE	MT	SK
BG	EL	LS	MK	SK
CK	ES	FK	MO	SK
OK	FI	BK	PK	PK
OZ	FR	FK	PK	DA
DE	HR	DA	RO	DK



Este equipamento opera em caráter secundário, isto é, não tem direito à proteção contra interferência prejudicial, mesmo de estações do mesmo tipo e não pode causar interferência a sistemas operando em caráter primário.



FCC/IC

This device complies with part 15 of the Rules and Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device must not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation.




0- 95% Relative humidity non-condensing
UL / C-UL: 0 - 93%

Region	Agency	Certification
USA and CA	UL, C-UL	UL639, C-UL S306-03 LISTING Intrusion Detection Unit, Type: S (ISC-CDL1-WA15G, ISC-CDL1-WA12G)
	FCC	Part 15 Subpart B & C, Class B, FCCID: T3X-CDL1 (ISC-CDL1-WA15G)
	IC	RSS210 1249A-CDL1 (ISC-CDL1-WA15G)


EU	CE
	CE - 2014/53/EU (RED), 2011/65/EU and 2015/863 (RoHS) (ISC-CDL1-WA15GE, ISC-CDL1-WA15HE)
	EN
	NF & A2P EN 50131-2-4 Grade 3 (ISC-CDL1-WA15GE, ISC-CDL1-WA15HE)
	EN 50130-5, Environmental Class I (ISC-CDL1-WA15HE)
	EN 50130-5, Environmental Class II (ISC-CDL1-WA15GE)
	EN60529, EN62262: IP41 / IK04

FR	AFNOR & CNPP 2830200012 NF (AFNOR): www.marque-nf.com, A2P (CNPP): www.cnpp.com Autosurveillance à l'ouverture Immunité champ magnétique. Test sans masque de vision vertical et sans immunité aux animaux
AU	ACMA RCM (ISC-CDL1-WA15G, ISC-CDL1-WA12G)
BR	ANATEL Resolution No. 242 (ISC-CDL1-WA15G, ISC-CDL1-WA12G)
CN	CCC 2015031901000145 (ISC-CDL1-WA12G-CHI, ISC-CDL1-WA15G-CHI)

For ISC-CDL1-WA12G model only



ISC-CDL1-WA15G, ISC-CDL1-WA15GE, ISC-CDL1-WA15HE, ISC-CDL1-WA15G-CHI



Commercial Series TriTech AM Motion Detectors with Anti-mask

ISC-CDL1-WA15G ISC-CDL1-WA12G
ISC-CDL1-WA15GE ISC-CDL1-WA15HE
ISC-CDL1-WA15G-CHI



en Quick Installation Guide

Bosch Security Systems B.V.
Torenallee 49
5617 BA Eindhoven
The Netherlands
www.boschsecurity.com
© Bosch Security Systems B.V., 2019