

BRE Certification Limited and LPCB

Bucknalls Lane, Garston, Watford, Hertfordshire, WD25 9XX

Telephone: 01923 664100 Fax: 01923 664603 E-mail: enquiries@bre-certification.co.uk Web: www.bre-certification.co.uk

EC-CERTIFICATE OF CONFORMITY

0832 - CPD - 0140

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

Squashni Micro SQM Conventional Type A fire alarm sounder for use in fire detection and alarm systems

(For conditions of use for the product see the attached appendix)

placed on the market by

Fulleon Limited

Llantarnam Park, Cwmbran, Gwent, NP44 3AW

and produced in the factory

Fulleon Limited

Llantarnam Park, Cwmbran, Gwent, NP44 3AW


is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan. The initial type-testing for the relevant characteristics of the product, the initial inspection and continuous surveillance of the factory and factory production control has been performed under the control of the approved body BRE Certification Limited.

This certificate attests that all provisions concerning the attestation of conformity (Level 1) and the performances described in Annex ZA of the standard(s)

EN 54 - 3: 2000 + A1: 2002 - Fire detection and fire alarm systems - Fire alarm devices - Sounders

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 18/7/2005 and remains valid as long as the product continues to be manufactured and the conditions laid down in the harmonised technical specification referenced or the manufacturing conditions in the factory or the FPC itself are not modified significantly and the required annual FPC assessments are maintained.



Nigel Smithies
For and on behalf of BRE Certification Limited

Date Of Issue: 18/7/2005
Issue Number: 1
Page: 1 of 2

This certificate remains the property of BRE Certification Ltd and is issued subject to terms and conditions and is maintained and held in force through regular Factory Production Control audits.
To check the authenticity of this certificate, please visit our website or contact us.

BRE Certification Limited and LPCB

Bucknalls Lane, Garston, Watford, Hertfordshire, WD25 9XX

Telephone: 01923 664100 Fax: 01923 664603 E-mail: enquiries@bre-certification.co.uk Web: www.bre-certification.co.uk

Appendix to EC Certificate of conformity 0832 - CPD - 0140

The details and conditions of use for the Squashni Micro SQM Conventional Type A fire alarm sounder, placed on the market by Fulleon Limited are:

To be used in accordance with the suppliers installation instructions and in conjunction with the following bases, ancillaries, sounder tones and sensitivity settings (where applicable):


Sounder Tones:

Tones for Squashni Micro SQM are as follows:

- 3 - Sweep 800 - 970Hz in 1s
 - 30 - Alternating 510Hz 250ms / 610Hz 250ms
 - 35 - Continuous 510Hz steady
 - 36 - Intermittent 510Hz 500ms / Silence 500ms
- Tones for SQM/E (European tone variants) are as follows:
- 7 - Slow whoop 300Hz - 1200Hz in 3.5s - 0.5s silence
 - 8 - Sweep 1200Hz - 500Hz in 1s
 - 30 - Alternating 510Hz 250ms / 610Hz 250ms
 - 35 - Continuous 510Hz steady

Variants:

- NV - No volume control
- NS - No tone switch
- LD - With flying leads
- C - All colours
- CV - Supplied without cover (must be used with a suitable detector)
- SQM/E - Slow whoop European tone variant



Nigel Smithies
For and on behalf of BRE Certification Limited

Date Of Issue: 18/7/2005
Issue Number: 1
Page: 2 of 2