

Compliance and Environmental information

NV-208A-M

NV-213A-M

NV-214A-M

NV-214A-M-1.5M

NV-215J-M

NV-216A-PV

NV-218A-PVD

NV-413A

Passive Video Transceivers

Compliance Information

The NV-208A-M, NV-213A-M, NV-214A-M, NV-214A-M-1.5M, NV-215J-M, NV-216A-PV, NV-218A-PVD and the NV-413A comply with or have obtained Regulatory Agency approvals at least against the following standards:

- EMC – Emissions FCC Part 15, ICES-003, EN 61000-6-3:2007 + A1 (class B)
- EMC – Immunity EN 50130-4:2011
- Safety IEC 60065:2001+A1+A2, EN 60065:2002+A1+A2+A11+A12, UL 2044 1997, CAN/CSA C22.2 No. 1-94

EN 61000-6-3 and IEC 61000-6-4 – Class B statement

These models are Class B.

FCC Part 15 Statement

This digital equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult NVT Inc. Technical Support for assistance

ISED Statement

This digital equipment does not exceed Class B limits for radio noise emissions for digital apparatus, set out in Radio Interference Regulation of ISED Canada.

Operation in a residential area may cause unacceptable interference to radio and TV reception requiring the owner or operator to take whatever steps necessary to correct the interference.

Notice d'ISDE

Cet équipement n'émet pas de bruits radioélectriques dépassant les limites applicables aux appareils numériques de la Classe B prescrites dans le Règlement sur le brouillage radioélectrique établi par l'ISDE Canada. L'exploitation faite en milieu résidentiel peut entraîner le brouillage des réceptions de radio et de télévision, ce qui obligerait le propriétaire ou l'opérateur à prendre les dispositions nécessaires pour en éliminer les causes.

EU Directives: EMC + Safety + RoHS

- NVT vakuuttaa täten että NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A tyypinen laite on direktiivin 2014/30, 2014/35, 2011/65 oleellisten vaatimusten ja sitä koskevien direktiivin muiden ehtojen mukainen.
- Hierbij verklaart NVT dat het toestel NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A in overeenstemming is met de essentiële eisen en de andere relevante bepalingen van richtlijn 2014/30, 2014/35, 2011/65.
- Par la présente NVT déclare que les NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A sont conformes aux exigences essentielles et aux autres dispositions pertinentes des Directives 2014/30, 2014/35, 2011/65.
- Härmed intygar NVT att denna NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A står i överensstämmelse med de väsentliga egenskapskrav och övriga relevanta bestämmelser som framgår av direktiv 2014/30, 2014/35, 2011/65.
- Undertegnede NVT erklærer herved, at følgende udstyr NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A overholder de væsentlige krav og øvrige relevante krav i direktiv 2014/30, 2014/35, 2011/65.
- Hiermit erkläre NVT, dass sich dieses NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A in Übereinstimmung mit den grundlegenden Anforderungen und den anderen relevanten Vorschriften der Richtlinie 2014/30, 2014/35, 2011/65 befindet (BMW).
- ΜΕ ΤΗΝ ΠΑΡΟΥΣΑ ΝΥΤ ΔΗΛΩΝΕΙ ΟΤΙ ΝΥ-208Α-Μ + ΝΥ-213Α-Μ + ΝΥ-214Α-Μ + ΝΥ-214Α-Μ-1.5Μ + ΝΥ-215J-Μ + ΝΥ-216Α-ΡΥ + ΝΥ-218Α-ΡΥΔ + ΝΥ-413Α ΣΥΜΜΟΡΦΩΝΕΤΑΙ ΠΡΟΣ ΤΙΣ ΟΥΣΙΩΔΕΙΣ ΑΠΑΙΤΗΣΕΙΣ ΚΑΙ ΤΙΣ ΛΟΙΠΕΣ ΣΧΕΤΙΚΕΣ ΔΙΑΤΑΞΕΙΣ ΤΗΣ ΟΔΗΓΙΑΣ 2014/30, 2014/35, 2011/65.
- Con la presente NVT dichiara che questo NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A è conforme ai requisiti essenziali ed alle altre disposizioni pertinenti stabilite dalla direttiva 2014/30, 2014/35, 2011/65.
- Por medio de la presente NVT declara que el NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 2014/30, 2014/35, 2011/65.
- NVT declara que este NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A está conforme com os requisitos essenciais e outras disposições da Directiva 2014/30, 2014/35, 2011/65.
- Hawnhekk, NVT, jiddikjara li dan NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A jikkonforma mal-htigijiet essenzjali u ma provvedimenti oħrajn rilevanti li hemm fid-Direttiva 2014/30, 2014/35, 2011/65.
- Käesolevaga kinnitab NVT seadme NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A vastavust direktiivi 2014/30, 2014/35, 2011/65 põhinõuetele ja nimetatud direktiivist tulenevatele teistele asjakohastele sätetele.



DECLARATION OF CONFORMITY

We NVT declare under our sole responsibility that the models:

**NV-208A-M
 NV-213A-M
 NV-214A-M
 NV-215J-M
 NV-216A-PV
 NV-218A-PVD
 NV-413A**

to which this declaration relates, are in conformity with the following European Directives:

2014/30 (EMC)
 2014/35 (Safety)
 2011/65 (RoHS Recast)

The standards used to show compliance are:

EN 61000-6-3	2007 + A1
EN 50130-4	2011
EN 60065	2002 + A1 + A11 + A12 + A2
EN 50581	2012

The technical file is kept at:

**NVT
 3457 Superior Court
 Unit 3
 Oakville, Ontario L6L 0C4
 Canada**

Oakville, 26 January 2017


John Croce
 CEO

3457 Superior Court, Unit 3, Oakville, ON L6L 0C4, Canada
 Phone: 905-901-3633 Fax: 866-252-9148 www.nvtpybridge.com

- Alulírott, NVT nyilatkozom, hogy a NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A megfelel a vonatkozó alapvető követelményeknek és az 2014/30, 2014/35, 2011/65 irányelv egyéb előírásainak.
- NVT týmto vyhlasuje, že NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A spĺňa základné požiadavky a všetky príslušné ustanovenia Smernice 2014/30, 2014/35, 2011/65.
- NVT tímto prohlašuje, že tento NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A je ve shodě se základními požadavky a dalšími příslušnými ustanoveními směrnice 2014/30, 2014/35, 2011/65.

- Šiuo NVT deklaruoja, kad šis NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A atitinka esminius reikalavimus ir kitas 2014/30, 2014/35, 2011/65 Direktyvos nuostatas.
- Ar šo NVT deklarė, ka NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A atbilst Direktīvas 2014/30, 2014/35, 2011/65 būtiskajām prasībām un citiem ar to saistītajiem noteikumiem.
- NVT izjauļa, da je ta NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A sklađu z bistvenimi zahtevami in ostalimi relevantnimi določili directive 2014/30, 2014/35, 2011/65.
- Hér með lýsir NVT yfir því að NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A er í samræmi við grunnkröfur og aðrar kröfur, sem gerðar eru í tilskipun 2014/30, 2014/35, 2011/65.
- Niniejszym NVT oświadcza, że NV-208A-M + NV-213A-M + NV-214A-M + NV-214A-M-1.5M + NV-215J-M + NV-216A-PV + NV-218A-PVD + NV-413A jest zgodny z zasadniczymi wymogami oraz pozostałymi stosownymi postanowieniami Dyrektywy 2014/30, 2014/35, 2011/65.

Marking

The NV-208A-M, NV-213A-M, NV-214A-M, NV-214A-M-1.5M, NV-215J-M, NV-216A-PV, NV-218A-PVD and the NV-413A bear the following CE mark:



Environmental Information

Waste Electrical and Electronic Equipment – WEEE

The WEEE (Waste Electrical and Electronic Equipment) legislation aims to raise the level of recycling of electrical and electronic equipment and to encourage designers to create products with recycling in mind.

The NV-208A-M, NV-213A-M, NV-214A-M, NV-214A-M-1.5M, NV-215J-M, NV-216A-PV, NV-218A-PVD and the NV-413A and associated equipment (Power supply, etc.) that you bought have required the extraction and use of natural resources for their production. They may contain hazardous substances that could impact health and the environment.

In order to avoid the dissemination of those substances in our environment and to diminish the pressure on the natural resources, we encourage you to use the appropriate take-back systems. Those systems will reuse or recycle most of the materials of your end-of-life equipment in a sound way.



The crossed-out wheeled bin symbol invites you not to dispose of WEEE as unsorted municipal waste and to collect such WEEE separately.

If you need more information on the collection, reuse and recycling systems, please contact your local or regional waste administration.

You can also contact us for more information on the environmental performances of our products.

Compliance to China RoHS – 符合中国RoHS

部件名称 (Parts)	有毒有害物质或元素 (Hazardous Substances)					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (CrV)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
主板 (Board)	0	0	0	0	0	0
机箱 (Chassis)	0	0	0	0	0	0
盖板 (Cover)	0	0	0	0	0	0

0 表示该有毒有害物质在该部件所有均质材料中的含量均在SJ/T11363-2006 标准规定的限量要求以下。

Indicates that the concentration of the hazardous substance in all homogeneous materials in the parts is below the relevant threshold of the SJ/T11363-2006 standard.

X 表示该有毒有害物质至少在该部件的某一均质材料中的含量超出 SJ/T11363-2006 标准规定的限量要求。

Indicates that the concentration of the hazardous substance of at least one of all homogeneous materials in the parts is above the relevant threshold of the SJ/T11363-2006 standard.



Making changes or modifications

Any changes or modifications not expressly approved by NVT will void any compliance and regulatory approval, and will void the user's authority to operate the equipment.